

References related to the project (from the 2026 AAPG ANR AMERAA's document)

Our references:	Other references:
^A <u>BRGM</u>, Interactive Platform of Sea-Level Rise, https://sealevelrise.brgm.fr/slr/?utm#lng=-0.32520;lat=48.35936;zoom=7;level=1.0;layer=0 ^B Chaumillon E. et al. 2017. Storm-induced marine flooding: Lessons from a multidisciplinary approach. <i>Earth-Science Reviews</i>, 165, 151-184 ^C Athimon E. 2021. <i>Tempêtes et submersions marines dans les territoires de la côte atlantique (XIV^e-XVIII^e s.)</i>. Paris, Les Indes Savantes ^D Sauzeau T. 2014. L'histoire, les tempêtes et la prospective littorale face aux changements climatiques, in <i>Les littoraux à l'heure du changement climatique</i>. Paris, Les Indes Savantes, 235-251 ^E <u>ASNR</u>. 2023. Historical Storm and Coastal Flooding Working Group. https://bddtsh.asnr.fr/ ^F Giloy N. et al. 2018. La Base de Données TEMPETES: Un Support Pour Une Expertise Collégiale et Interdisciplinaire Des Informations Historiques de Tempêtes et de Submersions. <i>Paralia, XV^e Journées Nationales Génie Côtier – Génie Civil</i>, 823-832. https://doi.org/10.5150/jngcgc.2018.093 ^G Tavenne L. 2023. <i>Perdu dans la tempête. Etude historique et environnementale de mille et un naufrages dans le golfe du Lion (1700-1920)</i>. Thèse de doctorat, Université de Montpellier ^H <u>BRGM</u>. 2013. <i>Submersions marines historiques</i>, BRGM/RP-62644-FR.	¹ Oiry A. 2023. <i>Atlas mondial des littoraux</i>. Paris, Autrement ² INSEE. 2022. <i>Perspectives d'évolution de la population des départements littoraux à l'horizon 2050</i>, results reported by Géolittoral, https://www.geolittoral.developpement-durable.gouv.fr/perspectives-d-evolution-de-la-population-des-a1519.html#H_Analyse-par-façade ³ Normandy IPCC. 2024. <i>Coastal systems. Natural hazards and ecosystem restoration</i>. https://www.normandie.fr/giec-normand ⁴ Cazenave A. et al. 2014. Sea level rise and its coastal impacts. <i>Earth's Future</i>, 2-2, 15-34. https://doi.org/10.1002/2013EF000188 ⁵ Feser F. et al. 2015. Storminess over the North Atlantic and northwestern Europe – A review. <i>Quarter. J. Roy. Meteor. Soc.</i>, 141-687, 350-382 ⁶ MétéoFrance. 2024. <i>Les tempêtes remarquables en France [depuis 1980]</i>. https://meteofrance.com/actualites-et-dossiers/comprendre-la-meteo/les-tempetes-remarquables-en-france ⁷ Bessemoulin P. 2002. Les tempêtes en France. <i>Ann. Météorologie</i>, 425, 9-14 ⁸ Corvol A. (dir.) 2005. <i>Tempêtes sur la forêt française, XVI^e-XX^e siècle</i>. Paris, L'Harmattan ⁹ Tabeaud M. et al. 2009. Le risque « coup de vent » en France depuis le XVI^e siècle. <i>Annales de géographie</i>, 667, 318-331 ¹⁰ Garnier E., Surville F. (dir.) 2010. <i>La Tempête Xynthia face à l'histoire. Submersions et tsunamis sur les littoraux français du Moyen Âge à nos jours</i>. Saintes, Le Croît Vif ¹¹ Winter M. et al. 2024. Storm Ciran – an exceptionally severe windstorm in the Channel Islands. <i>Weather</i>, 79-11, 354-358 ¹² MétéoFrance. 2026. Tempête Goretti: vents violents et vagues-submersions. https://meteofrance.com/actualites-et-dossiers/actualites/tempete-goretti-vents-violents-et-vagues-submersion ¹³ Lucot S. 2026. Goretti fait-elle partie des tempêtes les plus fortes observées dans la Manche ? <i>La Presse de la Manche</i>. https://actu.fr/meteo/goretti-fait-elle-partie-des-tempetes-les-plus-fortes-observees-dans-la-manche_63694411.html ¹⁴ Sarrazin J-L. 2012. Vimiers de mer et sociétés littorales entre Loire et Gironde (XIV^e-XVI^e s.). <i>Noroi</i>, 222, 91-102 ¹⁵ Maertens-Noel S. 2016. <i>La Mer, cet ennemi de plusieurs siècles: Identifier et comprendre les trajectoires de vulnérabilité des sociétés littorales bas-normandes (1650-1940)</i>. Thèse de doctorat, Université de Caen ¹⁶ Pitel W. 2014. <i>Des saisons et des Hommes: climat et vulnérabilités dans le Nord de la France (XVI^e-XIX^e s.)</i>. Thèse de doctorat, Université de Caen

<http://infoterre.brgm.fr/rapports/RP-62644-FR.pdf>

^I MétéoFrance, Shom, Cerema. 2014. *Projet VIMER, rapports*. <https://www.bretagne.developpement-durable.gouv.fr/etude-vimers-des-evenements-de-tempete-en-bretagne-a2705.html>

^J Adjou M. et al. 2023. Marine Chemical Metadata and Data Management. *Marine Analytical Chemistry*, Cham, Springer International Publishing, 445–455. https://doi.org/10.1007/978-3-031-14486-8_11

^K Khan M.J.U. et al. 2023. Extension of a high temporal resolution sea level time series at Socoa (Saint-Jean-de-Luz, France) back to 1875, *Earth Syst. Sci. Data*, 15, 5739–5753. <https://doi.org/10.5194/essd-15-5739-2023>

^L Latapy A. et al. 2022. Data rescue process in the context of sea level reconstructions: An overview of the methodology, lessons learned, up-to-date best practices and recommendations. *Geoscience Data Journal*, 10-2. <https://doi.org/10.1002/gdj3.179>

^M Athimon E. et al. 2022. Quantification of historical skew surges: challenges and methods, *Advances in Hydroinformatics SimHydro 2021*, 159-174.

^N Giloy N. et al. 2019. Quantifying historic skew surge: an example for the Dunkirk area, France, *Natural Hazards*, 98-10. <https://doi.org/10.1007/s11069-018-3527-1>

^O Giloy N. et al. 2023. Estimation of Skew Surge Uncertainties When Predicting Tides in the Past, *Weather and Climate Extremes*, 41, 100597. <https://doi.org/10.1016/j.wace.2023.100597>

¹⁷ Noel S. 2014. La vulnérabilité des populations de la côte Est du Cotentin, 1700-1914. L'approche historique dans l'analyse des enjeux, de l'aléa et de la gestion du risque de submersion, in *Cocorisco, Aléas, Enjeux, Représentations, Gestion – Actes du colloque international*, 445-455

¹⁸ Noel S. 2015. La trajectoire de vulnérabilité des côtes bas-normandes. L'exemple des côtes du Calvados, *Séminaire ROLNP*. https://rolnhdf.fr/documents/Seminaires-ROL/Seminaire2015_2_Noel.pdf

¹⁹ Pitel W. 2017. Une famille dévouée à la météorologie: les Chandon de Montdidier, in *Histoire de météo-philos*, Paris, Hermann, 37-50

²⁰ Désarthe J. 2014. Les sociétés bretonnes face aux tempêtes (XVI^e-XIX^e s.), in *Les littoraux à l'heure du changement climatique*, Paris, Les Indes Savantes, 35-58

²¹ Bassin Seine Normandie. 2011. *EPRI: Evaluation préliminaire des risques d'inondation*. https://www.driat.ile-de-france.developpement-durable.gouv.fr/IMG/pdf/helmerjm_Internet_16_09_2011_cle5e18c8.pdf

²² Van Bavel B. et al. 2019. Climate and society in long-term perspective: opportunities and pitfalls in the use of historical datasets. *Wires Climate Change*, 10-6, e611. <https://doi.org/10.1002/wcc.611>

²³ Zhang Y. et al. 2024. Automation of historical weather data rescue, *Geoscience Data Journal*, 12-1, e261. <https://doi.org/10.1002/gdj3.261>

²⁴ Slonosky V. et al. 2019. From books to bytes: a new data rescue tool. *Geoscience Data Journal*, 6-1, 58-73

²⁵ Hawkins E. et al. 2023. Rescuing historical weather observations improves quantification of severe windstorm risks. *Nat. Hazards and Earth Syst. Sci.* <https://doi.org/10.5194/nhess-23-1465-2023>

²⁶ Ferro S. et al. 2023. AI-assisted digitalization of historical documents. *Int. Arch. Photogramm. Remote Sens. Spatial Inf. Sci.*, XLVIII-M-2-2023, 557–562. <https://doi.org/10.5194/isprs-archives-XLVIII-M-2-2023-557-2023>

²⁷ Zhang, Y. 2023. *Use of AI in historical records transcription: Opportunities, challenges, and future directions*. PhD thesis, McGill University

²⁸ Tranouez P. et al. 2015. PIVAJ: an article-centered platform for digitized newspapers. *Proc. IS&T Archiving 2015*, 40-43. <https://doi.org/10.2352/issn.2168-3204.2015.12.1.art00010>

²⁹ Plésiat É. et al. 2024. Artificial intelligence reveals past climate extremes by reconstructing historical records. *Nat Com.*, 15-1, 9191. <https://doi.org/10.1038/s41467-024-53464-2>

³⁰ Hamdi Y. et al. 2018. Analysis of the risk associated with coastal flooding hazards: a new historical extreme storm surges dataset for Dunkirk, France, *NHESS*, 18-2, 3383-3402

- ^P Depuydt, P. et al. 2024. Impact of marine productivity on atmospheric pCO₂ during the Last Glacial Maximum: a model-data comparison, *EGU General Assembly 2024*, Vienna, EGU24-14882, <https://doi.org/10.5194/egusphere-egu24-14882>
- ^Q Saulnier J-B. et al. 2021. Implementation of overtopping discharges in a 2D coastal flood model of the Mont Saint Michel Bay, in *Proc. XXVIIth TELEMAC-MASCARET User Conference*, <https://henry.baw.de/server/api/core/bitstreams/4a1706a6-d9f2-4c34-825e-daa3f7e864af/content>
- ^R Laborie V. et al. 2025. Reducing the dimension of inferred time-varying boundary conditions to improve water levels prediction in the Gironde estuary using Telemac2D and an ensemble Kalman filter. *Env. Sci. Climate Res.*, 3-1, 1-22
- ^S Vu M.T. et al. 2025. High-accuracy reconstruction of water levels through integrating physics-based and data-driven models: application to the Seine estuary. *Hydrological Sciences Journal*, 71-1, 1-13. <https://doi.org/10.1080/02626667.2025.2583262>
- ^T Louisor J. et al. 2022. Coastal flood modeling to explore adaptive coastal management scenarios and land-use changes under sea level rise. *Frontiers in Marine Science*. [10.3389/fmars.2022.710086](https://doi.org/10.3389/fmars.2022.710086)
- ^U Hamdi Y. et al. 2015. Use of historical information in extreme-surge frequency estimation: the case of marine flooding on the La Rochelle site in France. *NHESS*, 15-7.
- ³¹ NOAA/CIRES/DOE 20th Century Reanalysis (20CRv3), Boulder, Colorado, USA, <https://psl.noaa.gov>
- ³² Cid A. et al. 2017. Global reconstructed daily surge levels from the 20th Century Reanalysis (1871–2010), *Global and Planetary Change*, 148, 9-21.
- ³³ Dullaart J. et al. 2019. Advancing global storm surge modelling using the new ERA5 climate reanalysis. *Climate Dynamics*, 54, 1007-1021. <https://doi.org/10.1007/s00382-019-05044-0>
- ³⁴ Harter L. et al. 2024. Underestimation of extremes in sea level surge reconstruction, *Sci. Rep.*, 14-1, 14875. <http://dx.doi.org/10.1038/s41598-024-65718-6>
- ³⁵ Dangendorf O. et al. 2014. North Sea Storminess from a Novel Storm Surge Record since AD 1843, *J. Clim.*, 27, 3582–3595. <https://doi.org/10.1175/JCLI-D-13-00427.1>
- ³⁶ Cheynel J. et al. 2025. A secular sea level hindcast (1900–2015) to investigate extreme surges variability and trends in the North Atlantic. *J. Ocean Modelling*, 199, 102636. [10.1016/j.ocemod.2025.102636](https://doi.org/10.1016/j.ocemod.2025.102636)
- ³⁷ GLOSSIS, <https://www.unoceanprediction.org/en/halls/glossis-global-storm-surge-information-system>
- ³⁸ Tadesse M.G. et al. 2021. Database of global storm surge reconstructions. *Scientific Data*, 8-125. <https://doi.org/10.1038/s41597-021-00906-x>; <https://gssr.info/index.html>
- ³⁹ Bernier N. et al. 2024. Storm surges and extreme sea levels: Review, establishment of model intercomparison and coordination of surge climate projection efforts (SurgeMIP). *Weather and Climate Extremes*, 45, 100689. <https://doi.org/10.1016/j.wace.2024.100689>
- ⁴⁰ Bulteau, T. et al., 2015. How historical information can improve estimation and prediction of extreme coastal water levels: application to the Xynthia event at La Rochelle (France). *NHESS*, 15-6, 1135–1147. <https://doi.org/10.5194/NHESS-15-1135-2015>
- ⁴¹ Saint Cricq, L. et al. 2022. Extreme sea level estimation combining systematic observed skew surges and historical record sea levels, *Water Resources Research*, 58-3, e2021WR030873. <https://doi.org/10.1029/2021WR030873>
- ⁴² Calafat F. and Marcos M. 2020. Probabilistic reanalysis of storm surge extremes in Europe. *PNAS*, 117-4, 1877-1883. <https://doi.org/10.1073/pnas.1913049117>
- ⁴³ Su, J. et al. 2024. Integrating historical storm surge events into flood risk security in the Copenhagen region. *Weather and climate extremes*, 45, 100713. <https://doi.org/10.1016/j.wace.2024.100713>
- ⁴⁴ Hallin, C. et al. 2018. Using Historical Storms for Flood Risk Management: The 1872 Storm in South Sweden. *RCC Perspectives*, 3, 11-18. <https://doi.org/10.5282/rcc/8481>

<https://doi.org/10.5194/nhess-15-1515-2015>

^V Frau R. et al. 2018. The use of historical information for regional frequency analysis of extreme skew surge, *NHESS*, 18, 949–962.

<https://doi.org/10.5194/nhess-18-949-2018>

^W Athimon E. and Maanan M. 2018. Vulnerability, resilience and adaptation of societies during major extreme storms during the Little Ice Age. *Clim. Past*, 14-10, 1487-1497.

<https://doi.org/10.5194/cp-14-1487-2018>

^X Baills A. et al. 2020. The ESPREssO Action Database: collecting and assessing measures for disaster risk reduction and climate change adaptation. *Int. J. of Disaster Risk Reduction*, 48, 101599. <https://doi.org/10.1016/j.ijdrr.2020.101599>

^Y D'Avdeew M. et al. 2025. From perception to modelling: Nature-based solutions as a tool for coastal risk management. *Cambridge Prisms: Coastal Futures*, 3, 1-23. <https://doi.org/10.1017/cft.2025.10009>

^Z Lalanne C. et al. 2018. Improving simulations of extreme skew surges through waves' contributions. *XXIth TELEMAC-MASCARET*, 31-38.

^{AA} Saulnier J-B. et al. 2026. Analyse par simulation rétrospective de surcotes marines historiques de pleine mer estimées à Dunkerque, *Paralia, XIX^e Journées Nationales Génie Côtier – Génie Civil* [accepted]

^{BB} Costa W. et al. 2020. Statistical prediction of extreme storm surges based on a fully supervised weather-type downscaling model. *J. Mar. Sci.*

⁴⁵ Jardine, A. et al. 2025. The window of opportunity: linking climate history and storms. *Geo: Geography and Environment*, e70018. <https://doi.org/10.1002/geo2.70018>

⁴⁶ Poulsen B. 2021. Between adaptation and mitigation. The nineteenth-century North Sea Storm Surges and the entangled socio-natural transformation of the Limfjord region, Denmark. *JHES*, 6, 129-158. <https://doi.org/10.1484/J.JHES.5.128582>

⁴⁷ Van Dongeren, A. et al. 2018. Introduction to RISC-KIT: Resilience-increasing strategies for coasts. *Coastal Engineering*, 134, 2-9

⁴⁸ Météo-France Archives Climat, <http://archives-climat.fr/> [online since 2023]

⁴⁹ Wilkinson C. 2025. Archives and Climate Science: Transforming paper documents into global climate datasets. *Norsk arkivforum*, 31-1, 9–17. <https://doi.org/10.18261/naf.31.1.3>

⁵⁰ Harvey-Fishenden A. and Macdonald N. 2021. Evaluating the utility of qualitative personal diaries in precipitation reconstruction in the eighteenth and nineteenth centuries. *Clim. Past*, 17, 133-149. <https://doi.org/10.5194/cp-17-133-2021>

⁵¹ Li T. and Shi T. 2025. High-resolution climate reconstruction from historical Chinese weather records using optimized natural language processing. *Sci. Rep.*, 15, 44447. <https://doi.org/10.1038/s41598-025-28006-5>

⁵² Beven K.J. et al. 2018. Epistemic uncertainties and natural hazard risk assessment – Part 1: a review of different natural hazard areas. *NHESS*, 18, 2741-2768. <https://doi.org/10.5194/nhess-18-2741-2018>

⁵³ Dalinghaus C. et al. 2025. Assessing total water level uncertainties using global sensitivity analysis. *JGR: Oceans*, 130-11, e2025JCO23011. <https://doi.org/10.1029/2025JC023011>

⁵⁴ Hontarrède M. 2001. Echelle de Beaufort et mesure du vent. *Met Mar*, 192, 15-17.

⁵⁵ Lamb H. and Frydendahl K. 1991. Historic storms of the North Sea, British Isles and Northwestern Europe. Cambridge, Cambridge University Press.

⁵⁶ Open Telemac, <https://www.opentelemac.org/>

⁵⁷ Slivinsky L.C. et al. 2019. Towards a more reliable historical reanalysis: Improvements for version 3 of the Twentieth Century Reanalysis system. *Q. J. R. Meteorol. Soc.*, 145, 2876-2908. <https://doi.org/10.1002/qj.3598>

⁵⁸ Heuzé C. et al. 2025. Drivers of high-frequency extreme sea levels around northern Europe—synergies between recurrent neural networks and random forest. *Oc. Sci.*, 21-4, 1813-1832. <https://doi.org/10.5194/os-21-1813-2025>

⁵⁹ Rueda A. et al. 2016. A multivariate extreme wave and storm surge climate emulator based on weather patterns. *Oc. Mod.*, 104, 242-251. <https://doi.org/10.1016/j.ocemod.2016.06.008>

⁶⁰ NASA, <https://sealevel.nasa.gov/>

- and Eng., 8-12, 1028.
<https://dx.doi.org/10.3390/jmse8121028>
- ^{CC} Le Cozannet G. et al. 2025. Sea-level scenarios aligned with the 3rd adaptation plan in France. *Comptes Rendus. Géoscience*, 357-G1, 105-123.
- ^{DD} Thiéblemont R. et al. 2024. Assessing current coastal subsidence at continental scale: Insights from Europe using the European Ground Motion Service. *Earth's Future*, 12, e2024EF004523.
<https://doi.org/10.1029/2024EF004523>
- ^{EE} Andreevsky M. et al. 2020. Regional frequency analysis of extreme surges using the extremogram approach. *NHESS*, 20, 1705-1717.
<https://doi.org/10.5194/nhess-20-1705-2020>
- ^{FF} Thiéblemont R. et al. 2024. Sea-level rise induced change in exposure of low-lying coastal land: implications for coastal conservation strategies. *Anthropocene Coasts* 7, 8.
<https://doi.org/10.1007/s44218-024-00041-1>
- ^{GG} Cerema, Agirisk,
<https://agirisk.cerema.fr/>
- ^{HH} BRGM, 2025. *Scénarios de référence pour l'élévation du niveau de la mer*. Rapport final V4. BRGM/RP-74351-FR, 69 p., 8 Fig., 7 Tab., 4 Ann.
- ⁶¹ Moins T. et al. 2023. Reparameterization of extreme value framework for improved Bayesian workflow. *Comput. Stat. Data Anal.*, 187, 107807.
<https://doi.org/10.1016/j.csda.2023.107807>
- ⁶² Weiss J. 2014. *Analyse régionale des aléas maritimes extrêmes*. PhD thesis, Université Paris-Est
- ⁶³ CoCliCo project platform, <https://platform.coclicoservices.eu/> (BRGM is a partner)
- ⁶⁴ Life Adapto+ Project, <https://lifeadaptoplus.eu/> (BRGM is a partner)
- ⁶⁵ Stratégie Littoral 76, <https://sml76.fr/la-strategie-littoral-76/#:~:text=La%20Strat%C3%A9gie%20Littoral%2076%20doit,recul%20du%20trait%20de%20c%C3%B4te>